

PRICE LIST

NEW MRP LIST: 29/01/2022

WITH EFFECTIVE FROM: 29/01/2022



INDEX

ULTRAFIT[®]

UPVC SWR
PIPES & FITTINGS

EASYFIT[®]

UPVC PRESSURE
PLUMBING SYSTEM

FLOWGUARD PLUS
CPVC PLUMBING SYSTEMS

CPVC PLUMBING SYSTEM
FOR HOT & COLD WATER
DISTRIBUTION SYSTEMS

AQUAFIT[®]

UPVC AGRI ISI PIPES

PRESTIGE

AGRI NON ISI PIPES

SAFEFIT[®]

SUBMERSIBLE
DELIVERY PIPES

AQUAFIT[®]

UPVC AGRI FITTINGS

RAINFIT[®]

ROOF WATER PIPES,
FITTINGS & ACCESSORIES

FOAMFIT[®]

DRAINAGE PIPES

DRAINFIT[™]

UNDERGROUND
DRAINAGE PIPES

CORFIT[®]

(DOUBLE WALL CORRUGATED)
PIPES & FITTINGS

CABLEFIT

DWC PIPES

SILENTFIT[®]

LOW NOISE SWR
PIPING SYSTEMS

GREENFIT[®]

GREEN - PP-R PLUMBING SYSTEM
FOR HOT & COLD WATER APPLICATIONS

BLUE GREENFIT[®]

BLUE - PP-R COMPRESSED
AIR PIPING SYSTEMS

GI

GI CLAMP, BOLTS &
BRACKETS

SP SHREEJI PIPE

PRINCE
PIPING SYSTEMS

AQUAFIT®

**UPVC AGRI
ISI PIPES**



SCROLL DOWN FOR PRICE LIST

SP SHREEJI PIPE

PRINCE
PIPING SYSTEMS

PRESTIGE

**AGRI
NON ISI PIPES**



SCROLL DOWN FOR PRICE LIST

SP SHREEJI PIPE

PRINCE
PIPING SYSTEMS

SAFELIT®

**SUBMERSIBLE
DELIVERY PIPES**



SCROLL DOWN FOR PRICE LIST

Price List Code: AP0981 / 01 / 2022 w.e.f. 29.01.2022

SIZE O.D. (MM)	AQUAFIT UPVC AGRI ISI PIPES (IS : 4985 / 2000)						HIGH PRESSURE PIPES Rate / 6mtr.
	WORKING PRESSURE						
	Rate / 6 Mtr.						
	2.5Kg/cm ² (Class 1)	4Kg/cm ² (Class 2)	6Kg/cm ² (Class 3)	8Kg/cm ² (Class 4)	10Kg/cm ² (Class 5)	12.5Kg/cm ² (Class 6)	
20	-	-	-	-	188	335	456
25	-	-	-	269	280	563	618
32	-	-	-	409	446	802	930
40	-	-	452	585	661	1276	1224
50	-	-	677	931	1072	1943	1597
63	-	747	1075	1412	1653	3111	-
75	-	1059	1497	1943	2354	4387	-
90	951	1481	2158	2797	3341	6218	-
110	1411	2153	3123	4170	5028	9509	-
125	-	2849	4123	5421	-	12301	-
140	2244	3504	5112	6866	8090	15277	-
160	2927	4574	6614	8924	10519	20483	-
180	3771	5934	8507	11202	13410	25846	-
200	4644	7200	10422	13872	16571	32058	-
225	6157	9369	13618	17938	21656	40655	-
250	7437	11484	17044	22672	26962	50295	-
280	-	14559	21339	-	33771	63122	-
315	10402	18580	27188	-	42984	80202	-
* 355	15169	23541	34478	-	-	104522	-
* 400	19282	29943	44100	-	-	133387	-

Price List Code:- PG0377 / 01 / 2022 w.e.f. 29.01.2022

SIZE O.D. (MM)	PRESTIGE AGRI PIPES (Rs./6 Mtr.) NON ISI			HIGH PRESSURE PIPES Rate / 6mtr.
	WORKING PRESSURE			
	Rate / 6 Mtr.			
	4Kg/cm ² (Class 2)	6Kg/cm ² (Class 3)	10Kg/cm ² (Class 5)	
20	-	-	139	246
25	-	-	189	341
32	-	-	297	477
40	-	339	595	750
50	-	541	811	1091
63	568	703	1097	-
75	744	946	1514	-
90	1028	1297	1951	-
110	1406	1785	2730	-
125	-	2650	-	-
140	2231	2975	-	-
160	2975	3380	-	-
180	3786	5679	-	-
200	4867	6489	-	-

Price List Code:- BW0854 / 01 / 2022 w.e.f. 29.01.2022

SIZE	SUBMERSIBLE DELIVERY PIPES (RATES PER 3MTR.)			
	MEDIUM	STANDARD	HEAVY	HEAVY +
1" (25MM)	556	803	-	-
1 ¼" (32MM)	814	1062	1266	1328
1 ½" (40MM)	1075	1253	1585	1823
2" (50MM)	1231	1649	2089	2219
2 ½" (65MM)	1515	2052	2711	-
3" (80MM)	2085	2897	3722	-
4" (100MM)	3150	4020	5755	-



SUBMERSIBLE DELIVERY PIPES



Note: 1. * Marked items are supplied as per ISI but not bear ISI mark.

TERMS & CONDITION

H S N : 39172390 GST - 18%
CODE

 **SHREEJI PIPE**

 **PRINCE**[®]
PIPING SYSTEMS

AQUAFIT[®]

**UPVC AGRI
FITTINGS**



SCROLL DOWN FOR PRICE LIST

PRINCE AQUAFIT UPVC Pipe Fittings & Valves for Agriculture

Items will be supplied with ISI marks

PRICE LIST CODE: AF1634 / 01 / 22 w.e.f. 29.01.2022



Injection Moulded	20	25	32	40	50	63	75	90	110	140	160	180	200	225	250			
Coupler (10 KG) (ISI)	14	21	32	-	-	59	109	170	-	-	-	-	-	-	-			
Coupler (Heavy)	9	10	14	21	28	44	59	90	151	307	416	-	-	-	-			
Coupler (LW)	6	9	11	16	19	31	42	64	103	242	310	-	965	-	1488			
Coupler Prestige	-	-	-	-	-	27	38	60	95	-	-	-	-	-	-			
Elbow (10 KG) (ISI)	19	26	35	-	70	126	207	355	483	-	-	-	-	-	-			
Elbow (Heavy)	11	15	22	33	55	86	112	194	295	739	942	1809	-	-	-			
Elbow (LW)	7	12	17	23	36	54	73	107	165	361	454	-	1646	-	3915			
Elbow Prestige	-	-	-	-	-	41	54	76	121	-	350	-	-	-	-			
Elbow 45° (PN 16)	34	36	44	28	-	-	-	-	-	-	-	-	-	-	-			
Tee (10 KG) (ISI)	27	36	47	-	-	164	254	477	727	-	-	-	-	-	-			
Tee (Heavy)	14	20	28	42	71	101	142	230	389	779	1339	2305	-	-	4781			
Tee (LW)	9	16	23	32	46	71	90	135	215	590	683	-	2423	-	-			
Tee Prestige	-	-	-	-	-	53	70	103	153	-	518	-	-	-	-			
End Cap (Heavy)	6	7	11	20	26	37	55	81	135	238	340	-	556	1054	1234	125MM		
End Cap (PN 4)	-	-	-	-	-	27	42	59	86	140	222	374	498	-	-	216.00		
End Cap Threaded	9	12	17	37	44	48	57	95	125	384	522	489	-	-	-			
Service Saddle	-	-	-	87	108	144	170	195	235	274	331	-	689	-	-			
M T A	8	9	14	21	37	44	73	109	189	298	512	-	-	-	-			
F T A	9	11	15	25	38	64	102	142	253	446	567	-	-	-	-	ITEM	25 x 1/2"	32 x 1/2"
Tail Piece	-	-	-	-	-	47	54	87	133	223	312	-	527	-	-	F.T.A.	165	154
Union Agri	114	143	174	275	-	-	-	-	-	-	-	-	-	-	-	F.T.E	177	225
Flange	-	-	-	-	-	108	121	140	182	-	-	-	-	-	-	F.T.TEE	179	242
Flange Threaded	-	-	-	-	120	191	199	327	-	-	-	-	-	-	-			
COMPACT BALL VALVE (ONE PIECE)	20 (1/2")	25 (3/4")	32 (1")	40 (1 1/4")	50 (1 1/2")	63 (2")	75 (2 1/2")	90 (3")	110 (4")	SUPERFIT SOLVENT CEMENT	25 ML	50 ML	100 ML	250 ML	500 ML	1 LTR.	5 LTR.	
											TUBE	28	48	90	-	-	-	-
											BOTTLE	26	41	78	168	307	574	-
	110	146	226	388	469	510	1433	2211	5532		TIN	-	69	96	188	338	594	-
										CAN	-	-	-	-	-	-	2806	



FITTING WITH BRASS INSERT

--	--

PRINCE AQUAFIT UPVC Pipe Fittings & Valves for Agriculture

Items will be supplied with ISI marks

PRICE LIST CODE: AF1634 / 01 / 22 w.e.f. 29.01.2022



Description	20	25	32	40	50	63	75	90	110	125	140	160	180	200	225	250	280	315
Rep. Coupler 6" 6Kg						78	83	133	171		222	274	424	547				
Rep. Coupler 9" 6Kg						108	147	204	259		341	483	626	654				
Rep. Coupler 12" 6Kg						132	179	265	341		444	623	797	989				
Rep. Coupler 18" 6Kg							456											
Rep. Coupler 20" 6Kg								658										
Rep. Coupler 21" 6Kg									903									
Rep. Coupler 18" 4Kg							350	686	766									
Rep. Coupler 20" 4Kg								456										
Rep. Coupler 21" 4Kg									603									
Rep. Coupler 24" 4Kg							389	546	757									
Injection Moulded	20x20	25x25	25x20	32x32	32x25	32x20	40x32	40x25	40x20	50x50	50x40	50x32	50X25	50X20	63x63	63x50	63x40	63x32
Reducer			9		14	14	22	24			38	31				48	51	79
Reducing Bush			6		9	14	17				25	32	40	47		44	56	
Reducing Tee			41		44	51	57	49	52		86	73	75			143	129	106
Four Way Tee																194	160	163
Reducing FTA			11		16	20	32	40			52					83		155
Reducing Elbow			23		40	49										154		
Threaded Elbow	20	35	35	46	43	42				118					116	174		
Threaded Tee	29	38	34	100	48	51	137	135				130			155	172		114
Injection Moulded	63x25	63x20	75x75	75X63	75X50	75X40	75X32	90x90	90X75	90X75(LW)	90X63	90X50	90X40	90X32	110X110	110X90	110X75	110X63
Reducer				59	61	95	111		86	80	93	103	124	115		141	142	143
Reducing Bush				50	77	70	82		98		103	77				169	180	214
Reducing Tee	106	106		169	271	271			287		322	366				547	474	465
Four Way Tee	158	161	240	215														
Reducing FTA				119	147				158		187	238				283	335	386
Reducing MTA				91	77				131		113							
Reducing Elbow				275					333		201					202		205
Threaded Elbow			160	306				456	454									
Threaded Tee	115	114	234	257	277	277		418	411		440	498			545	685	705	721
Injection Moulded	110X50	110X40	140X110	140X90	140X75	140X63	160X140	160X110	160X90	160X75	160 X 63	200X160	200X140	200X110	250X200	250X160	250X110	315X200*
Reducer	157	214	212	262			384	314	436			803	727	690	1263	1336	1484	3457
Reducing Bush	256		276				365	390										
Reducing Tee	634		605	636	709		910	867	913	897	1087	3217	3217	3217	4886	4925	4877	
Reducing FTA	475		468	590	678	773												
Reducing Elbow			293					568										
Threaded Tee	729																	

HSN CODE: PVC FITTING - 39174000, PVC SOLVENT - 35061000 (GST @ 18% APPLICABLE)

--	--

PRINCE AQUAFIT FABRICATED Fittings For Agriculture

FABRICATED FITTING	20	25	32	40	50	63	75	90	110	125	140	160	180	200	225	250	280	315	400
Fab.Bend (10Kg)	11.00	15.00	27.00	50.00	93.00	176	293	504	921		1999	2942	-	5621					
Fab.Bend (6 Kg)				36.00	61.00	119	191	322	566		1207	1764	2526	3488					
Fab.Bend (4 Kg)						85	137	229	397		844	1250	1777	2421					
Fab.Short Bend 10 Kg	14.00	17.00	27.00																
Fab.Short Bend 6 Kg				37.00	50.00	86	136	227	306										
Fab.Short Bend 4 Kg						60	98	166	251										
COUPLER (10 KG)						56	84	156	260		518	723	1314						
COUPLER (6 KG)						37	55	100	162	231	330	454	610	818	1194	1577		2919	
COUPLER (4 KG)						26	39	70	113		228	318	425	558	825	1031		1984	4756
ELBOW 90° (10 KG)																			
ELBOW 90° (6 KG)																4195		7159	14078
ELBOW 90° (4 KG)																2944		5677	
ELBOW 90° (2.5 KG)																		4104	
ELBOW 45° (10 KG)																			
ELBOW 45° (6 KG)																3566		11039	
ELBOW 45° (4 KG)														1807	2669			4825	
ELBOW 45° (2.5 KG)																			
TEE (10 KG)														5625					
TEE (6 KG)														4094	6123			11687	18260
TEE (4 KG)																		7264	
TEE (2.5 KG)																		5390	
SINGLE Y (6 KG)														4019	6879			12023	
SINGLE Y (4 KG)														3885	6254			7501	
FABRICATED FITTING	200 X 160	200 X 110	200 X 75	250 X 200	250 X 160	250 X 110	250 X 75	315 X 250	315 X 200	315 X 160	315 X 110	-							
Fab.Reducing Y 6Kg (J)	3603	2950	2671	5954	4863	4062	4332	9239	7996	6515	6709								
Fab.Reducing Y 4Kg (J)	3700	3137	2907	5342	4602	3969	3690	8444	7041	6039	5438								
Fab.Reducing Tee 6Kg (J)	3404	-	-	4907	4495	-	-	9487	7982	7026	5069								
	50x750	40x900	63x300	75x400	110x300	110x450	160x300	200x200	200x600										
Puddle Flange 6Kg	822	795	787	859	1060	1190	1394	1820	2896										



 **SHREEJI PIPE**

 **PRINCE**[®]
PIPING SYSTEMS

ULTRAFIT[®]

**UPVC SWR
PIPES & FITTINGS**



SCROLL DOWN FOR PRICE LIST



PRINCE ULTRAFIT UPVC SWR Pipes - IS 13592											
Description		Nominal Size (in mm) (rates per pc.)									
		75	90	110	160	75	90	110	160	200	
		RUBBER RING JOINT					SOLVENT JOINT				
Single Socket Pipe 10 Ft. (3 Mtr)	Type A	519	695	931	2067	505	681	909	2025	4760	
	Type B	890	1074	1326	2465	872	1049	1299	2395	6653	
Double Socket Pipe 10 Ft. (3 Mtr)	Type A	537	716	975	2085	527	702	955	2043	-	
	Type B	919	1115	1375	2531	901	1093	1347	2443	-	
Single Socket Pipe 6 Ft.	Type A	319	435	567	-	313	426	556	-	-	
	Type B	585	690	840	-	574	676	823	-	-	
Double Socket Pipe 6 Ft.	Type A	348	450	600	-	341	441	588	-	-	
	Type B	595	690	890	-	583	676	872	-	-	
Double Socket Pipe 4 Ft.	Type A	239	349	416	-	235	365	408	-	-	
	Type B	419	474	600	-	411	464	588	-	-	
Double Socket Pipe 3 Ft.	Type A	196	242	328	-	192	237	321	-	-	
	Type B	319	369	458	-	313	362	448	-	-	
Double Socket Pipe 2 Ft.	Type A	143	200	243	-	140	196	238	-	-	
	Type B	227	249	319	-	222	244	313	-	-	
ROYAL PIPES 10 Ft.	-	481	-	881	-	-	-	-	-	-	



HSN CODE : SWR PIPES - 39172390, SWR FITTING - 39174000 GST 18 % EXTRA

ULTRAFIT UPVC SWR Fittings - IS 14735						PRICE LIST CODE : UL0875 / ULS / 01 / 2022 w.e.f. 29.01.2022									
Description		Nominal Size (in mm) (rates per pc.)													
		75	90	110	160	200 *	40	50	63	75	90	110	160	200 *	
		RUBBER RING JOINT					SOLVENT JOINT								
Coupler		69	99	117	275	-	-	-	-	62	93	105	246	-	
Bend 87.5°		91	137	165	414	-	-	-	-	84	127	153	391	-	
Bend With Door		125	174	207	544	-	-	-	-	118	171	187	502	-	
Single T		122	193	224	585	-	-	-	-	109	180	213	578	-	
Single T With Door		158	234	282	787	-	-	-	-	137	210	246	660	-	
Single T With RH Door		-	-	396	-	-	-	-	-	-	-	-	-	-	
Single T With LH Door		-	-	420	-	-	-	-	-	-	-	-	-	-	
Double T		214	307	394	-	-	-	-	-	165	262	333	-	-	
Double T With Door		228	333	406	-	-	-	-	-	217	317	411	-	-	
Single Y		161	233	304	933	-	-	-	-	134	210	267	864	-	
Single Y With Door		190	281	338	1019	-	-	-	-	169	261	318	963	-	
Double Y		231	-	392	-	-	-	-	-	201	-	360	-	-	
Double Y With Door		282	-	457	-	-	-	-	-	264	-	427	-	-	
Bend 45°		89	126	146	363	-	-	-	-	77	115	131	347	-	
Cleansing Pipes		141	-	266	763	-	-	-	-	127	-	248	586	-	
Vent Cowl		-	-	-	-	-	-	12	24	29	38	48	99	-	
Vent Cowl With Jali		-	-	-	-	-	-	-	32	43	55	71	-	-	
Vent Cowl With PVC Jali		-	-	-	-	-	-	-	-	-	-	56	-	-	
Pipe Clip		-	-	-	-	-	8	10	14	16	20	21	40	-	
Pipe Clip With Bracket		-	-	-	-	-	-	-	-	-	-	87	-	-	
Access / Socket Plug		50	-	84	-	-	-	-	-	-	-	-	-	-	
Swept T		-	-	282	-	-	-	-	-	-	-	244	-	-	
Swept T With Door		-	-	313	-	-	-	-	-	-	-	264	-	-	
Socket Plug For Height Riser		-	-	-	-	-	12	-	-	-	-	-	-	-	
W.C.Connector Type 'A'-SL		-	-	-	-	-	-	-	-	-	-	332	-	-	
Description	110x90	110x75	110x50	160x110	160x75	110x75	110x63	110x50	160x110	160 X 75	110x50/40				
Reducer	144	110	-	256	-	99	-	-	213	-	-	-	-	-	
Reducing Y	-	256	-	916	-	230	-	-	898	-	-	-	-	-	
Reducing Y With Door	-	287	-	961	-	261	-	-	941	-	-	-	-	-	
Reducing Tee	-	218	-	635	649	186	-	-	556	572	-	-	-	-	
Reducing Tee With Door	-	246	-	716	-	207	-	-	750	-	-	-	-	-	
Boss Connector *	-	-	-	-	-	-	219	-	-	-	-	-	-	-	
Height Riser 6" (HT)	-	-	-	-	-	-	-	-	-	-	220	-	-	-	
Horn Bend W/D	-	-	284	-	-	-	-	279	-	-	-	-	-	-	

PRINCE ULTRAFIT UPVC TRAPS

Description	Nominal Size (in mm) (rates per pc.)					
	75x75	110x110	110x90	110x75	110x63	125x110
Nahani Trap With Jali		207	195	179	172	
Nahani Trap Without Jali		166	147	141	121	
Nahani Trap With Jali - ONE PIECE				191		
Nahani Trap Without Jali - ONE PIECE				152		
Multi Floor Trap 4" (Ht.) With Jali With End plug				230		
Multi Floor Trap 4" (Ht.) W/O Jali With End plug				199		
Multi Floor Trap 7" (Ht.) With Jali				322		
Multi Floor Trap 7" (Ht.) Without Jali				295		
M.F.Trap 7" with 2 Socket Plug				376		
M.F.Trap w/o Jali 7" with 2 Socket Plug				363		
M.F.Trap w/o Jali 4" [Spl Flap & 2 Plug]				199		
M.F.Trap With Jali 4" [Spl Flap & 2 Plug]				230		
M.F.Trap w/o Jali 4" [Spl Flap & 3 Plug]				221		
M.F.Trap With Jali 4" [Spl Flap & 3 Plug]				249		
Jali (Round) 4"		15				
Bell Mouth Trap				502		
P Trap	226	378				426
P Trap (DS)						477
P Trap With Lip Ring		448				478
P Trap (Short)		386				
Q Trap		428				471
S Trap		590				662
Gully Trap With Jali		698				
Roof Corner		320				
Pan Connector - Straight						271
Pan Connector - Offset (18mm)						278
Pan Connector - Offset (40mm)						284
Pan Connector - Collapsible						761
Description	40 mm	50 mm	160 mm	110x75/63 mm		
Socket Plug For Multi Floor Trap		28				
Floor Trap				180		
Multi Floor Trap				337		
M.F.Trap Without Jali & 3 Endplug				253		
Description	ACCESSORIES					
	50 mm	63 mm	75 mm	90 mm	110 mm	160 mm
Rubber Ring (Dual)			13		16	50
Rubber Door Gasket	3	3	4	5	7	
Lip Ring for 'P Trap	125 X 110mm - 12.00					
Description	100 gms	250 gms	500 gms	1000 gms		
Rubber Lubricant	51.00	105.50	197.50	368.00		

ROYAL UPVC SWR Fittings

PRICE LIST CODE:UL0875 / ULS / 01 / 2022 w.e.f. 29.01.2022

Description	ROYAL FITTINGS															
	75		110		40		50		63		75		90		110	
	pc.)															
RUBBER RING JOINT				SOLVENT JOINT												
Coupler	62	106	10	13								56				97
Bend 87.5°	76	148										70				137
Bend With Door	109	183										103				167
Bend With Door (HY)							59					94			-	
Bend With Door - D/S							52					70			141	191
Single T	110	197	20	31								101				188
Single T With Door	130	241										124				229
Single T With Door (HY)												108				
Single T With Door - D/S												103			151	234
Single Y	130	236	71	103								118			120	223
Single Y With Door	162	300										145			156	294
Bend 45°	71	128	32	50								73			67	119
Bend 45° - D/S												74			97	157
Bend 90° - D/S			15	24												
Door Cap				14								17			22	28
W.C.Bend Con 87.5° (Lip Ring)		271														36
Description	110x75	110X75	110X63	110X50	110X40	110mm										
Reducer			101													
Reducing Y	211	209	240	245												
Reducing Tee	160	155														
Reducing Tee With Door	197	193														
Reducing Bush		109	119	126												
Strip Connector			100	98	96											
Aerator	4332	4204					4332									



ULTRAFIT™
SWR Systems
With World Class Seals

 **SP SHREEJI PIPE**

 **PRINCE**[®]
PIPING SYSTEMS

EASYFIT[®]

**UPVC PRESSURE
PLUMBING SYSTEM**
(SOLVENT WELD)
FOR COLD WATER APPLICATION



SCROLL DOWN FOR PRICE LIST



PRINCE EASYFIT Upvc Pressure Plumbing System (Solvent Weld) for Cold Water Applications

Description	Nominal Size (in inches) (rate per pc.)										
	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
1. Coupler	11	15	24	32	42	65	123	176	289	601	-
2. Elbow	16	21	35	53	71	121	211	313	532	1216	-
3. Elbow 45°	13	18	28	42	55	86	-	-	-	-	-
4. Equal Tee	19	28	45	66	98	141	270	395	727	1647	-
5. Union	34	44	69	95	142	195	406	586	-	-	-
6. Endcap	7	10	16	24	31	48	81	124	230	587	-
7. Four Way Tee	24	-	-	-	-	-	-	-	-	-	-
8. Male Threaded Adaptor	8	12	18	30	37	62	106	168	247	-	-
9. Female Threaded Adaptor	10	14	21	31	39	62	108	161	259	-	-
10. Endplug	4	9	14	22	35	-	-	-	-	-	-
11. Pipe Clip	3	4	4	7	13	18	-	-	-	-	-
12. Tank Connector (LONG)	43	52	76	135	169	287	546	828	1436	-	-
13. Tank Connector (SHORT & PLAIN)	38	49	65	96	109	164	-	-	-	-	-
14. Bend 90°	32	46	74	118	155	249	-	-	-	-	-
15. Ball valves	92	125	184	248	349	534	1485	2287	5135	-	-
Description	1/2"	3/4"x1/2"	1"	1x1/2"	1x3/4"	2"	1 1/4"x1/2"	1 1/4"x3/4"	1 1/4"x1"	1 1/2"x1/2"	1 1/2"x3/4"
16. Reducer	-	14	-	23	20	-	33	35	31	41	42
17. Reducing Bush	-	6	-	11	9	-	28	20	15	27	27
18. Reducing Tee	-	27	-	41	43	-	61	64	71	83	86
19. Reducing FTA	-	30	-	-	-	-	-	-	-	-	-
20. Reducing Elbow	-	29	-	33	39	-	-	-	-	-	-
21. Threaded Elbow	17	34	22	33	66	37	-	-	-	-	-
22. Threaded Tee	20	28	32	55	58	52	-	-	-	-	-
Description	1 1/2"x1"	1 1/2"x1 1/4"	2x1/2"	2"x3/4"	2"x1"	2"x1 1/4"	2"x1 1/2"	2 1/2" X 1 1/2"	2 1/2"x2"	3" X 1 1/2"	3" x 2"
23. Reducer	45	41	-	-	65	68	69	-	119	-	161
24. Reducing Bush	25	15	53	56	47	44	35	90	68	161	165
25. Reducing Tee	92	97	132	133	152	142	147	-	272	-	436
Description	3"x2 1/2"	4" x 2"	4"x 2 1/2"	4" x 3"	6" x 3" (SCH-40)	6" x 4" (SCH-40)	-	-	-	-	-
26. Reducer	181	286	299	317	-	-	-	-	-	-	-
27. Reducing Bush	171	317	278	341	604	598	-	-	-	-	-
28. Reducing Tee	395	617	713	649	-	-	-	-	-	-	-
(FITTINGS WITH BRASS INSERT)											
Description	1/2"	3/4"x1/2"	3/4"	1" x 1/2"	1 x 3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
29. Male Threaded Adaptor	131	136	197	-	-	280	342	459	636	1696	2423
30. Male Threaded Elbow	172	181	260	204	283	412	-	-	-	-	-
31. Male Threaded Tee	200	218	299	246	325	483	-	-	-	-	-
32. Female Threaded Adaptor	95	100	136	113	142	224	309	416	621	1115	-
33. Female Threaded Elbow	107	119	145	142	172	262	347	-	-	-	-
34. Female Threaded Tee	116	127	150	146	183	272	-	-	-	-	-
35. Female Thd Red Bush	-	-	-	105	-	-	-	-	-	-	-
Description	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
Flange With Socket (1 Pc.)	-	-	135	184	208	273	389	450	744	-	-
Blind Flange	-	-	-	-	-	-	635	-	1393	-	-

PRICE LIST CODE :- EF1721 / 01 / 2022 w.e.f. 29.01.2022

Nominal size inches	Avg Outside Diameter (mm)	Schedule 40			Schedule 80		
		PN kg/cm ²	Price Rs./3Mtr.	PN kg/cm ²	Price Rs./3Mtr.		
1/2"	21.2	42.20	225	58.60	277	-	-
3/4"	26.6	33.75	297	47.60	377	-	-
1"	33.3	31.60	439	43.60	555	-	-
1 1/4"	42.0	26.00	592	35.90	771	-	-
1 1/2"	48.1	23.25	706	32.40	929	-	-
2"	60.2	19.65	950	27.60	1282	-	-
2 1/2"	72.8	21.10	1471	29.00	1955	-	-
3"	88.7	18.25	1948	25.50	2606	-	-
4"	110.1	15.50	2777	22.10	3804	-	-
6"	-	12.60	4879	-	7302	-	-
8"	-	11.00	7591	-	11250	-	-
10"	-	-	11518	-	21713	-	-
Description	Nominal Size (in inches) (rates per pc.)						
	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	
36. Cross over	51	73	112	-	-	-	
37. Extended Endplug	13	14	-	-	-	-	

EASYFIT SOLVENT CEMENT

Description	25 ml	50 ml	100 ml	250 ml	500 ml	1 Ltr
Tin	-	95	140	232	453	830
Tube	38	69	-	-	-	-
Description	118 ml	237 ml	473 ml	946 ml	-	-
Tin (Heavy)	184	300	556	1036	-	-
uPVC / CPVC Primer Clear (TIN)	141	236	437	822	-	-

Pipes are available in both Plain and Threaded Types



SP SHREEJI PIPE

PRINCE
PIPING SYSTEMS

FLOWGUARD PLUS
CPVC PLUMBING SYSTEMS™

**CPVC PLUMBING SYSTEM
FOR HOT & COLD WATER
DISTRIBUTION SYSTEMS**



SCROLL DOWN FOR PRICE LIST



PRINCE FLOWGUARD PLUS Cpvc Plumbing System for Hot & Cold Water Distribution Systems


Description	Nominal Size (in inches) (rate per pc.)											
	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"		
Coupler	14	16	25	52	96	199	614	876	1343			
Coupler Sch 40							319	446	706	1318		
Elbow	17	18	37	83	163	326	986	1444	2454			
Elbow Sch 40							501	737	1221	2349		
Elbow 45°	20	29	48	106	166	341						
Equal Tee	23	29	47	102	186	397	1331	1979	3308			
Equal Tee Sch 40							706	1039	1840	3151		
Union	55	88	115	173	285	512						
Extended End Plug	7									(Sch-40)		
End Cap	11	14	21	45	66	141	378	562	973	1020		
Four Way Tee	32	63										
Cross Over	63	88	167									
Cross Over (Moulded)		90	173									
Fab. Bend	30	50	82	120	162	321						
Repair Coupler (Moulded)		15										
Male Threaded Adaptor	16	21	33	59	84	160	368	508	956			
Female Threaded adaptor	20	29	43	116	151	236	360	578	980			
Tank Connector	60	64	98	153	219	350						
Tank Connector (Plain)	49	52	79	130	177	306						
Flange With Socket (1 pc)			335	411	537	781	1214	1388	2256			
Blind Flange							1268		2438			
Ball Valves	99	171	308	500	854	1497	6930	10177	17428			
Concealed Valves		920	1280									
Non Return Valve		281	489									
Powder Coated Metal Clamp	9	10	11	12	13	15						
Description	1/2" X 1/2"	3/4" X 3/4"	1" X 1"	1 1/4" X 1 1/4"	1 1/2" X 1 1/2"	2" X 2"	2 1/2" X 2 1/2"	3" X 3"	4" X 4"	6" X 6"		
Reducer			22	34	34	72	71	71		110	108	
Reducing Bush			13	25	25	40	36	33		63	59	
Reducing Tee			50	77	76	137	161	161		227	227	
Reducing MTA			27									
Reducing FTA			36									
Reducing Elbow			29		63							
Transition Bush	10	15				27				44		
Description	1 1/2" X 1"	1 1/2" X 1 1/2"	1 1/2" X 1 1/4"	2" X 1 1/2"	2" X 1 1/4"	2" X 1"	2 1/2" X 1 1/2"	2 1/2" X 1 1/4"	2 1/2" X 1"	2" X 2"	2 1/2" X 1 1/2"	2 1/2" X 1"
Reducer	107		104	223	226	212	212	211				388
Reducing Bush	54		39	126	124	123	123	101		309	309	267
Reducing Tee	209		209	400	436	436	436	436				1023
Transition Bush		53							73			
Description	3" X 1 1/2"	3" X 2"	3" X 2 1/2"	4" X 2"	4" X 2 1/2"	4" X 3"	6" X 3"	6" X 4"				
Reducer	516	482	663	1010	1020	1048						
Reducing Bush		403	216	417	673	645	1192	1174				
Reducing Tee				2141	2500	2512						
(FITTINGS WITH BRASS INSERT)												
Description	1/2"	3/4" X 1/2"	3/4"	1" X 3/4"	1" X 1/2"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	
Male Threaded Adaptor (Heavy)	158	119	203			315	648	804	1542			
Male Threaded Adaptor	115	98	165	230	162	237	531	590	1171	1820	3222	
Female Threaded Adaptor (Heavy)	153		204			315	660	736	1413			
Female Threaded Adaptor	107	83	156	131	113	227	462	545	1053	1745	1820	
Female Threaded Elbow	67	69	99	203	131	388	508					
Female Threaded Elbow (Extended)	273	279										
Female Threaded Tee	85	86	129	224	146	244	341					

PRICE LIST CODE :- FG0036 / 01 / 2022 w.e.f. 18.01.2022

Nominal size inches	Avg Outside Diameter (mm)	SDR 13.5	SDR 11
		Price Rs./3Mtr.	Price Rs./3Mtr.
1/2"	15.9	189	213
3/4"	22.2	288	312
1"	28.8	435	500
1 1/4"	34.9	660	790
1 1/2"	41.3	910	1084
2"	54.0	1501	1807

Nominal size inches	Avg Outside Diameter (mm)	SCH 40	SCH 80
		Price Rs./3Mtr.	Price Rs./3Mtr.
2 1/2"		3208	4358
3"		4207	5856
4"		5992	8710
6"		11549	17837
8"		18601	25238
10"		23843	48536

FLOWGUARD PLUS CPVC SOLVENT CEMENT							
Description	29.5 ml	59 ml	118 ml	237 ml	473 ml	946 ml	
Tube	96	140	-	-	-	-	
Tin	-	137	220	372	676	1305	
SMARTFIT CPVC SOLVENT CEMENT							
Description	118 ml	237 ml	473 ml	946 ml			
SMARTFIT CPVC SOLVENT (TIN)	231	398	728	1310			
uPVC / CPVC Primer (TIN)	141	236	437	822			
WALL MIXER 6"	HOT COLD DOWN	HOT COLD UP	HOT COLD SIDE	HOT SIDE COLD DOWN	HOT DOWN COLD SIDE	HOT UP COLD DOWN	HOT DOWN COLD UP
	348	348	348	348	348	348	348



Terms & Conditions : 1. The prices quoted above are for supplies Ex-Bhilwandi Godown. 2. Supplies will be made as per the standard packing. 3. Unless otherwise specified the company will despatch the goods by the most convenient means of transport available. 4. These prices are subject to change without notice. (Prevailing rates will be charged at the time of despatch.) 5. All transactions subject to Mumbai Jurisdiction. 6. GST @ 18% extra on all Pipes & fittings, HSN CODE: PIPE - 39172390, FITTING - 39174000, BALL VALVE - 84818090, SOLVENT - 36061000

SP SHREEJI PIPE

PRINCE
PIPING SYSTEMS

FOAMFIT[®]

DRAINAGE PIPES



SCROLL DOWN FOR PRICE LIST

SP SHREEJI PIPE

PRINCE
PIPING SYSTEMS

DRAINFIT[™]

UNDERGROUND DRAINAGE PIPES



SCROLL DOWN FOR PRICE LIST

PRINCE FOAMFIT DRAINAGE PIPES - IS 16098

Price List Code: FC0250
Dated: 29.01.2022

PRINCE DRAINFIT UNDERGROUND DRAINAGE PIPES - IS 15328

Price List Code:UD00167
Dated: 29.01.2022


DESCRIPTION		Nominal Size (in mm) (Rate / 3 MTR.)									
		110	160	250	315	110	160	200	250	315	
		RINGFIT				SELFIT (SOLVENT JOINT)					
Single Socket (3Mtr.)	SN2	-	2215	-	-	-	2035	3032	5052	7771	
	SN4	1276	2557	7028	11518	1129	2344	3549	6536	10712	
	SN8	1549	3023	-	-	1386	2774	4338	7432	12008	
Double Socket (3 Mtr.)	SN2	-	2334	-	-	-	2171	3153	-	-	
	SN4	-	2744	-	-	-	2470	3763	-	-	
	SN8	1645	3258	-	-	1479	2924	4596	-	-	
FITTING DESCRIPTION						110	160	200	-	-	
Fabricated Coupler		SN-4				131	299	560	-	-	

WORKING PRESSURE	Nominal Size (in mm) (Rate / 6 Mtr.) (SOLVENT JOINT)						
	JOINT	110	160	200	250	315	400
S 25 / SN 2 / SDR 51	RR	-	6797	10351	16354	26040	42305
	SL	-	6380	9719	15356	24451	39723
S 20 / SN 4 / SDR 41	RR	-	8414	12881	20496	32079	52197
	SL	-	7903	12093	19245	30124	49009
S 16.5 / SN 8 / SDR 34	RR	4589	9817	15453	24037	38158	61858
	SL	4309	9218	14509	22570	35830	58083

Description	Nominal Size (in mm) (Rates Per Pc.)					
	110	160	200	110	160	200
	RUBBER RING			SOLVENT JOINT		
Coupler	294	613	-	272	566	-
Bend 87.5	433	1057	-	376	907	-
Single T	591	1416	-	509	1206	-
Single Y	740	1824	-	682	1304	-
Bend 45	363	864	-	311	694	-
Cleansing Pipe	613	1351	-	573	1263	-
Description	160 x 110mm			160 x 110mm		
Reducer	677			438		
Reducing Tee	1110			1102		



FOAMFIT UNDERGROUND PIPE



DRAINFIT UNDERGROUND PIPE

 **SP SHREEJI PIPE**

 **PRINCE**
PIPING SYSTEMS

CORFIT[®]

(DOUBLE WALL CORRUGATED) PIPES & FITTINGS



SCROLL DOWN FOR PRICE LIST

 **SP SHREEJI PIPE**

 **PRINCE**
PIPING SYSTEMS

CABLEFIT[™]

DWC PIPES



SCROLL DOWN FOR PRICE LIST



PRINCE CORFIT (DOUBLE WALL CORRUGATED) PIPES & FITTINGS - IS 16098 PART 2

PRICE LIST CODE: DW0018
DATED: 01 / 11 / 2021

DESCRIPTION		Nominal Size (in mm) (Rate / 6 MTR.)											
		100	150	170	200	250	300	400	500	600	800	1000	-
CORFIT DWC PIPE	SN4	2040	3120	-	4920	8280	10230	17640	29100	42900	76800	131700	-
	SN8	2280	4080	4680	5700	9300	13200	24000	36630	54600	97200	159600	-
Coupler [RR Type]		175	525	785	985	1690	2270	3900	7200	-	-	-	-
Elbow 90°		669	1345	-	-	-	-	-	-	-	-	-	-
Elbow 45°		400	1100	-	-	-	-	-	-	-	-	-	-
End Plug		275	600	-	-	-	-	-	-	-	-	-	-
Fixture Set		3926	4780	-	5633	6757	7018	8194	9995	-	-	-	-
Description		150x100	160x110	160x100	315x200	315x350	315x600	315x750	600x600	600x750	600x850	600x1000	
Reducer		711	-	-	-	-	-	-	-	-	-	-	-
Gully Trap (PVC)		-	1717	-	-	-	-	-	-	-	-	-	-
Gully Trap (DWC)		-	-	1717	-	-	-	-	-	-	-	-	-
Inspection Chamber (End PVC)		-	-	-	-	-	-	-	11199	12850	14340	15758	-
Inspection Chamber (End DWC)		-	-	-	1913	2806	4012	4591	10970	12621	14111	15528	-
Description		600x1250	600x1350										
Inspection Chamber (End PVC)		18899	20389	-	-	-	-	-	-	-	-	-	-
Inspection Chamber (End DWC)		18669	20159	-	-	-	-	-	-	-	-	-	-



CORFIT DWC PIPE



DWC HDPE CABLEFIT

PRINCE CABLEFIT DWC PIPES - IS 16205 - PART 24

PRICE LIST CODE: DW0018
DATED: 01.11.2021

DESCRIPTION		Nominal Size (in mm) (50mm Rate / Coil 100 Mtr) (63 TO 160mm Rate / 6 MTR.)						
		50	63	75	90	110	120	160
CABLEFIT DWC PIPE	450 N	6576	484	628	897	1166	1345	1973
	750 N	-	-	-	-	-	-	-
CABLEFIT DWC FITTING	COUPLER	-	-	-	-	-	-	-
	ELBOW	-	-	-	-	-	-	-
	TEE	-	-	-	-	-	-	-

Fittings



Coupler

Elbow

Tee

SP SHREEJI PIPE

PRINCE[®]
PIPING SYSTEMS

SILENTFIT[®]

**LOW NOISE SWR
PIPING SYSTEMS**



SCROLL DOWN FOR PRICE LIST



SILENTFIT™

Low Noise SWR Piping Systems

PRICE LIST CODE: SFS086 / 01 / 2022 W.E.F. 29.01.2022

Description	Nominal Size (in mm) (rates per pc.)								
	75	110	160	40	50	63	75	110	160
	RUBBER RING JOINT			SOLVENT JOINT					
Single Socket Pipe (6 Mtr.)	3292	5931	8960	-	-	-	3127	5635	8512
Single Socket Pipe (3 Mtr.)	1646	2966	4480	729	928	1184	1564	2818	4256
Double Socket Pipe (3 Mtr.)	1859	2975	4770	-	-	-	1813	2915	4674
Single Socket (6')	1282	2041	3158	-	-	-	1294	2000	3094
Double Socket (6')	1328	2051	3174	-	-	-	1301	2010	3111
Double Socket (4')	938	1422	2176	-	-	-	919	1394	2132
Double Socket (3')	743	1108	1677	-	-	-	728	1085	1644
Double Socket (2')	549	815	1180	-	-	-	538	798	1157
Coupler	187	302	721	46	63	95	123	221	667
Bend 87.5°	244	446	1068	48	77	139	228	512	1047
Bend With Door	299	565	1174	-	-	-	288	595	1150
Single T	335	598	1462	91	144	225	295	655	-
Single T With Door	395	730	1571	-	-	-	376	718	1540
Single Y	406	747	1678	-	-	-	385	730	1835
Single Y With Door	466	908	1985	-	-	-	457	856	-
Double Y	552	1040	-	-	-	-	405	925	-
Double Y With Door	617	1242	-	-	-	-	484	1148	-
Bend 45°	204	365	875	34	58	109	186	399	858
Cleansing Pipes	328	641	1615	-	-	-	303	603	1583
Vent Cowel	-	-	-	-	-	-	53	90	-
Socket Plug	-	-	-	-	-	-	189	419	683
Bracket / Clamp	55	91	-	-	-	-	-	-	-
Aerator	-	5015	-	RR & SJ 110mm	3791	-	-	3363	-

Description	110x75	160 X 110	110 x 63	110 x 75	160 x 110	110 x 50/40	110 X 110	125 X 110
Reducer	268	610	0	263	-	-	-	-
Reducing Tee	-	1181	0	-	1109	-	-	-
Reducing Tee With Door	-	1307	0	-	1232	-	-	-
Reducing Bush	-	-	-	-	-	-	-	-
Reducing Y	638	1327	0	-	-	-	-	-
Height Riser 6" (Ht)	-	-	-	-	-	-	-	-
Boss Connector	-	-	331	-	-	-	-	-
P TRAP	-	-	-	-	-	-	1282	1306
MULTI FLOOR TRAP 7" WITHOUT JALI	-	-	-	-	-	-	492	-



PRINCE™
PIPING SYSTEMS



--	--

 **SHREEJI PIPE**

 **PRINCE**[®]
PIPING SYSTEMS

RAINFIT[®]

**ROOF WATER
PIPES, FITTINGS
& ACCESSORIES**



SCROLL DOWN FOR PRICE LIST





RAINFIT ROOF WATER PIPES, FITTINGS AND ACCESSORIES

PRICE LIST CODE : RW0528 / 01 / 2022 w.e.f. 29 / 01 / 2022

JOINT BRACKET		RUNNING OUTLET		90° ELBOW (WITHOUT OUTLET)		90° ELBOW (WITH OUTLET)		SHORT STOP END		STOP END OUTLET		SUPPORT BRACKET		SINGLE SOCKET ELBOW	
SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.
140	260	140	371	140	400	140	400	140	85	140	331	140	65	75	219
180	309	180	475	180	517	180	517	180	120	180	396	180	114	110	352
250	631	250	946	250	1313	250	1313	250	283	250	754	250	270		

CLAMP		PIPE CLIP		RAFTER TOP BRACKET / SIDE BRACKETS		RUBBER GASKET		RUBBER SEALS		DOWN LINE PIPE		PRINCE HALF ROUND PIPES	
SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE IN PC.	SIZE	RATE / 3MTR	SIZE	RATE IN PC.
140	57	75	67	140	69	140	21	75	24	75	831	140 (6 MTR)	1072
180	92	110	69	180	98	180	26	110	45	110	1668	180 (6 MTR)	2233
250	217	160	132	250	268	250	88	160	87			250 (3 MTR)	1878

 **SHREEJI PIPE**

 **PRINCE**[®]
PIPING SYSTEMS

GREENFIT[®]

**GREEN
PP-R PLUMBING SYSTEM
FOR HOT & COLD WATER
APPLICATIONS**



SCROLL DOWN FOR PRICE LIST



Description	SIZES (mm/inch) (rates per pc./3mtr)											Description	20 x 1/2"	20 x 3/4"	25 x 1/2"	25 x 3/4"	32 x 1/2"	32 x 3/4"	32 X 1"	40 x 1 1/4"	40 x 1 1/2"	50 x 1 1/2"	63 x 2"	75 x 2 1/2"	90 x 3"	110 x 4"					
	20	25	32	40	50	63	75	90	110	160	200		20 x 1/2"	20 x 3/4"	25 x 1/2"	25 x 3/4"	32 x 1/2"	32 x 3/4"	32 X 1"	40 x 1 1/4"	40 x 1 1/2"	50 x 1 1/2"	63 x 2"	75 x 2 1/2"	90 x 3"	110 x 4"					
Pipes (PN-20)	207	275	447	660	1191	1893	2317	3341	4740	16430	-	Male Threaded Adaptor	89	127	92	138	152	187	224	398	503	505	892	-	-	-					
Pipes (PN-16)	180	239	383	564	1027	1454	1954	2874	4294	11325	-	Male Threaded Elbow	91	147	114	152	129	-	212	469	-	-	-	-	-	-					
Pipes (PN-10)	137	200	325	474	772	1098	1367	1984	2941	6056	-	Male Threaded Tee	100	-	111	154	126	340	207	-	-	-	-	-	-	-					
Triple Layer (PN-20)	226	305	495	792	1285	1827	2325	3847	5001	14509	-	Male Threaded Union	450	-	-	545	-	-	803	1575	-	2242	3073	-	-	-					
Triple Layer (PN-16)	192	264	421	682	1111	1562	1982	3346	4500	9062	-	Female Threaded Adaptor	65	95	79	101	110	128	173	322	-	383	597	-	-	-					
Triple Layer (PN-10)	141	193	304	488	791	1103	1408	2029	3032	6957	-	Female Threaded Elbow	66	111	87	114	140	178	182	340	-	-	-	-	-	-					
Pipes (Black UV) PN-20	237	363	563	851	1312	2094	1916	2814	4521	24934	-	Female Threaded Elbow with support	86	-	88	118	-	-	-	-	-	-	-	-	-	-					
Pipes (Black UV) PN-16	214	324	509	743	1131	1783	2513	3497	4739	20783	-	Female Threaded Tee	69	-	88	114	144	230	220	-	-	-	-	-	-	-					
Pipes (Black UV) PN-10	-	-	-	550	852	1346	-	-	-	-	-	Female Threaded Union	355	-	-	502	-	-	578	1201	-	2051	3341	-	-	-					
Pipes (3L Thermex) PN-20	272	405	659	978	1504	2381	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Pipes (3L Thermex) PN-16	221	350	563	839	1297	2036	2066	-	4409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Pipes (3L Thermex) PN-10	-	-	-	481	732	1148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
													SIZES (mm/inch) (rates per pc.)																		
Coupler	9.50	13.10	23.30	33.60	53.80	101.60	214.70	319.90	675.00	1283.40	-	Description	25 x 20	32 X 25	32 X 20	40 X 32	40 X 25	40 X 20	50 X 40	50 x 32	50 x 25	50 x 20	63 x 50								
Elbow 90	12.40	17.30	31.30	49.20	88.40	198.40	425.20	555.60	976.30	3158.10	-	Reducer	11	24	18	31	29	28	54	51	51	48	108								
Elbow 45°	28.30	54.30	89.20	102.50	171.30	334.50	492.40	835.10	1269.90	3795.00	-	Reducing Tee	27	46	46	65	64	62	125	124	124	119	262								
Equal Tee	15.10	27.60	45.00	65.10	130.90	288.00	549.30	734.80	1140.30	5681.50	-	Reducing Elbow	22	43	42	92	62	60	-	-	-	-	-								
Plain Union	71.30	96.40	189.20	487.60	688.00	860.50	-	-	-	-	-	Unequal Tee	-	-	-	-	-	-	-	-	-	-									
End Plug	5.10	8.30	14.10	-	-	-	-	-	-	-	-	Description	63 x 40	63 x 32	63 x 25	63 x 20	75 x 63	75 x 50	75 x 40	75 x 32	75 x 25	90 x 75	90 x 63								
Extended End plug	10.00	13.20	-	-	-	-	-	-	-	-	-	Reducer	107	93	87	85	319	303	280	279	-	660	539								
Endcap	10.10	14.00	17.30	24.30	45.40	80.90	289.50	447.00	978.90	1614.10	-	Saddle (Plain)	-	51	-	-	-	-	-	50	-	-									
Pipe Clamp	9.60	9.90	10.80	-	-	-	-	-	-	-	-	Reducing Tee	251	250	245	242	610	610	587	533	-	1059	866								
Fastener Clamp	-	-	-	-	-	-	-	-	-	-	-	Reducing Elbow	208	-	-	-	-	-	-	-	-	-									
Double Union Ball Cock	1392.50	1939.50	3278.00	5789	8407.20	12965	-	-	-	-	-	Description	90 x 50	90 x 40	90 x 32	110 x 90	110 x 75	110 x 63	110 x 50	110 x 40	110 x 32	160 x 110	160 x 32								
Gate Valve	572.20	629.30	852.60	1210	1641.60	1918.60	-	-	-	-	-	Reducer	508	-	-	813	812	771	-	-	-	1644	-								
Ball Valve (Metal)	270.90	349.70	431.60	1048	1423.00	-	-	-	-	-	-	Saddle (Plain)	-	-	50	-	-	-	-	50	-	-	50								
Ball Valve (Cold Water)	181.70	201.70	318.60	417.10	622.90	1459.50	-	-	-	-	-	Reducing Tee	646	821	-	1163	1298	1042	1040	1033	-	3010	-								
Cross Over	45.30	72.90	119.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Cross Over (Moulded)	-	112.50	183.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Four Way Tee	22.10	28.30	111.00	-	-	-	-	-	-	-	-	Welding Device	20-40	5343	Cutter	20-63	1258	DISCOUNT													
Flange With Boss	-	-	-	-	-	-	-	-	-	-	20-63		8330	75-110		4711															
Flange Core	-	-	34.20	36.20	40.80	55.10	72.50	102.40	160.40	462.90	-		75-110	10455		160	12215														
Flange	-	-	190.80	250.40	284.50	295.80	336.80	475.90	682.50	942.30	-		160 CONTACT SIZE	11835		-	-														
Stub Bend	-	-	13.50	17.60	32.80	46.10	57.20	71.10	-	-	-	Terms & Conditions: 1. The prices are ex-godown. 2. Supplies will be made as per the standard packing. 3. Unless otherwise specified the company will dispatch the goods by most convenient means of transport. 4. These prices are subject to change without notice. 5. All transactions are subject to Mumbai jurisdiction.																			
Tank Connector	73.60	78.00	100.40	167.30	225.00	381.90	-	-	-	-	-	NOTE: 1. Pipes & Fittings will be supplied in Green Colour. 2. Pipes Confirm to DIN 8077 & din 8078 standards & fittings confirm to DIN 16962 standards.																			
Tank Connector (Short)	-	69.00	89.40	134.30	145.50	240.30	-	-	-	-	-	HSN CODE: PIPE - 39172200, FITTING - 39174000, BALL VALVES - 84818090																			
Die Set	274.70	313.90	372.90	355.90	447.60	634.20	-	-	-	-	-																				
Repair Section (7x11mm)	2196.20	-	-	Repair Bar (7 x 11 mm)			7.80	-	-	-	-																				








GI CLAMP, BOLT & BRACKETS



SCROLL DOWN FOR PRICE LIST

PRICE LIST FOR G I U BOLT, BRACKET & CLAMP AS ON 28-12-2021 WEF 18-01-2022

SR	Description	Image	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
1	G I U Bolt 1/4		10	11	12	13	14	15	17	19	21	-	-
2	G I U Bolt 5/16		12	13	15	17	19	21	24	26	28	43	48
3	G I Plastic Coated U Bolt 5/16		15	19	20	21	24	26	31	34	39	61	73
4	G I Rubber Coated U Bolt 5/16		18	21	22	25	29	31	36	44	50	63	76
5	G I U Bracket 2.5mm		3"x2"	3"x2"	3"x2"	3"x2"	4"x2"	4"x2"	5"x2"	6"x2"	7"x2"	8"x2"	10"x2"
			32	32	32	32	35	35	38	42	46	49	56
			11"x2"	12"x2"	13"x2"	14"x2"	15"x2"	16"x2"	17"x2"	18"x2"	19"x2"	20"x2"	21"x2"
			60	63	77	80	84	90	93	96	101	106	109
6	G I U Bracket 9mm		3"x2"	3"x2"	3"x2"	3"x2"	4"x2"	4"x2"	5"x2"	6"x2"	7"x2"	8"x2"	10"x2"
			63	63	63	63	70	73	77	84	84	98	112
			11"x2"	12"x2"	13"x2"	14"x2"	15"x2"	16"x2"	17"x2"	18"x2"	19"x2"	20"x2"	21"x2"
			119	126	143	153	158	167	173	181	187	196	203
7	Description		2"x4"	3"x4"	4"x4"	5"x4"	6"x4"	Bullet Fastner					
	G I Z Bracket 1mm Thickness		242	302	363	456	570	8mm 10mm 12mm -					
	G I Z Bracket 1.2mm Thickness		282	350	421	470	633	12 13 15 -					
	G I Z Bracket 1.5mm Thickness		383	475	570	665	820	Special Clip					
	G I Z Bracket 2mm Thickness		475	590	708	826	1092	2" 2 1/2" 4" 6"					
	G I Z Bracket 2.5mm Thickness		595	743	888	1036	1275	35 40 43 55					
	G I Z Bracket 3mm Thickness	711	881	1066	1244	1140							
8	Description		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
	G I Clamp Heavy		4	5	7	9	11	13	15	17	19	30	38
	G I Clamp Light	3	4	5	6	7	8	9	9	11	12	18	28
	G I Nail Clamp 16mm*19mm		30	33	36	40	42	44	54	63	73	83	-
	G I Sprigle Clamp		13	15	18	20	23	23	29	30	33	47	98
	G I Chilli Clamp		40	43	50	50	54	60	67	78	94	115	157
9	G I Full Thread Rod		1 Mtr	2 Mtr	3 Mtr								
	G I Full Threaded Rod 8mm		70	140	210								
	G I full threaded rod 10mm		109	220	328								
	G I full threaded rod 12mm		170	341	510								
	Description		1 1/2"	2"	2 1/2"	3"	4"	5"	6"				
10	M S R Nail		483	483	483	483	483	483	483	483			
	Description		1 1/2"x1	2"x10	2 1/2"x1	3"x10							
11	M S C Nail		439	439	439	439							
	Description		5"	7"	10"	7" Jodi 7 nos							
12	M S Nail Bracket Grill Patti		68	85	135	569							
13	M S Nail Bracket Plain Patti		58	77	120	552							



THANK YOU

**SALES
EXECUTIVE**

**PANKAJ
UPADHYAY**
{ 8976216572

**AMIT
DHRUVANSHI**
{ 9987656556

**ROHIT
GHOSH**
{ 9137959053

**VIPUL
DIVEKAR**
{ 9284994201